

A 4475/43 Cable 13448, three core for 275.
 A 6272/43 Cable 13493 - 7
 A 4476/43 Cable DU - Radio .NO.40.
 A 5390/43 Cable pyrotenax, steel 13 50.
 A 5872/43 Bearings - electrical machinery.
 A 720/43 Bearings - greasing.
 A 3445/43 Voltmeters W 2079.
 A 299/43 Anti-dash tracking varnish.
 A 5509/43 Anti-dash tracking varnish.
 A 1467/43 Resistances - colour code.
 A 2189/43 Sound powered phones - spares.
 A 1606/43 Sound powered phones - harness.
 A 5757/43 R.I.S. - new pattern.
 C 1684/43 C.B. 3090.
 C 1874/43 C.B. 3090.
 C 1207/43 Fitting - completion Tests,
 A 5323/44 V/H/F Maintenance - Radio Mechs (W).
 A 3922/44 "A" Waveguides.
 A 6060/44 Interrogator performance meter.
 A 6729/44 Polythene cable scrap.
 A 6730/44 Cable pyrotenax S.C. 12702.
 A 6731/44 Cable pyrotenax S.C. - air spaced 13470.
 A 6895/44 Obsolete stores.
 C 1328/44 Dihedral reflector - range tests.
 C 1714/44 MRB - Units AC & E.
 C 1822/44 281B - MF 86 valves.
 C 1852/44 Electrical maintenance - torpedo complement.
 C 2150/44 282/3/4/5, 274/5 - cable 13831.
 A 2441/44 Maintenance bulletins.
 C 2249/44 Responsibilities - fitting & maintenance.
 C 2434/44 Loren - valve V6.
 A 1247/44 Stores - demands.
 A 4796/44 Storage of stores.
 A 1720/44 Stores in sats.
 A 2693/44 Director of stores - address.
 A 4768/44 Stores - Mersey area.
 C 563/44 U.S. spares.
 A 647/44 Stores lost on rail.
 A 4297/44 Stores for survey.
 A 1750/44 Returning crates.
 A 1554/44 Test gear - trawlers.
 A 916/44 Tools.
 A 1854/44 Drills.
 A 4683/44 Valves - general.
 A 4774/44 Valves - packing.
 A 3026/44 Weston analyser.
 A 789/44 Valves - inter - services manual.
 A 3718/44 Valves GV 22 - failure.
 A 4632/44 Valves GV 1091.
 A 3559/44 List of special valves.
 A 2898/44 Polythene cable - fumeral gases.
 A 4785/44 Cable 13470.
 A 3569/44 Cable 13475, 5 core, for 950.
 A 467/44 Cable 13484.
 C 1828/44 Cables 13831 & 13991.
 A 3570/44 Cable, polythene, 2 core, 13952.
 A 2234/44 Sealing pyrotenax.
 A 1988/44 Protection of cable from sun.
 A 3173/44 Sealing cable ends.
 A 453/44 Cable - base stocks.
 A 4139/44 Condensers 1140/A.
 A 4160/44 Perspex demands.

A	57/45	Amending A 6895/44.
A	62/45	Cable, 8 coars, 13488.
A	63/45	Cables, 13957/8, 13474, 13490.
A	71/45	"Hexoid" for Ops. rooms etc.
A	74/45	Cable, Uniradio 45, 13845.
A	162/45	R.D.R.
A	163/45	T.I.R.
A	164/45	"Spitfire" plugs.
A	169/45	Disposal of stores.
A	432/45	Alternative components.
A	433/45	Disposal of stores.
A	587/45	Obsolete stores - disposal.
A	726/45	Soldering Irons.
A	812/45	Abolition of cable PT 20C.
A	835/45	Valve case markings.
A	840/45	New Self vulcanising Tapes.
A	931/45	Power supplies for test equipment.
A	947/45	Unauthorised, modifications.
A	1194/45	242/M, 243/Q, 244 performance meter 2.
A	1195/45	Returned Stores.
A	1196/45	Disposal of stores.
A	1316/45	Radio Maintenance Rooms.
A	1467/45	Stores - supply sources.
C	24/45	Radio Maintenance Rooms.
A	1744/45	Tools for Radar purposes.
A	2025/45	274/5 Spark gap tool.
A	2162/45	Stores - M59 conversion to M59A.
A	2163/45	Celestoid for RDR & HFP.
A	2165/45	AUK, box of spares.
A	2169/45	Return of defective stores.
A	2463/45	Cables, electric.
A	2478/45	Cable, electric.
A	2755/45	Tools for shore Radar stations.
A	2758/45	Disposal of Radar equipment - reserve ships.
A	2759/45	Disposal of silica valves.
A	2773/45	Cable electric.
A	2222/45	Valves, electronic, accounting.
A	3209/45	Spares outfit.
A	3371/45	Distribution of A.S.E. cable catalogue.
A	3522/45	Fitting modifications.

17. OFFICE AMENITIES, ETC;
GENERAL COMMUNICATIONS.

C	1028/40	Office ventilation.
C	2217/40	Office ventilation.
A	5663/41	Office ventilation.
A	3258/42	Communications - telephone types.
A	798/42	Offices - watertightness.
A	6420/42	Offices - damp & sweating.
A	477/42	Offices - temperature.
C	1653/42	Clocks.
C	405/43	Phones for instruction.
C	1597/43	Phones for instruction.
A	255/43	New entries & ship's phones.
A	1371/43	Office chairs.
A	5635/43	Office chairs.
A	1961/43	Fire extinguishers.
A	5261/43	Fire extinguishers.
A	1377/43	Anti-condensation paint.
C	1566/43	Communications - gunnery & tactical.
A	4855/43	Communications - verbal systems.
C	384/43	Communications - frigates.
C	2110/43	Communications - Buzzer line.
A	3447/43	M.T.B's offices.
A	1093/43	Dinning office lights.
C	82/43	Unnecessary fittings.

C	1917/43	Merchant ship communications.
C	2764/43	Merchant ship communications.
C	1598/44	Fire Control communications.
C	1827/44	Departmental communications.
C	2533/44	291N in sub. - ventilation.
C	2669/44	Fire Control communications.
O	1572/44	Fitting "Y" material.
A	1630/44	Emergency lighting - shore stations.
C	1357/44	Remote displays.
A	1577/44	Communications - L.C.T. (R).
O	1827/44	Communications - Omnibus line.
A	3314/44	Gun blast damage to offices.
A	392/44	M.T.B.'s - offices.
A	524/44	M.T.B.'s offices.
A	4625/44	Offices - coastal craft.
A	1959/44	Power rooms - ventilation.
A	4775/44	Safety enclosures.
C	24/45	Radio Maintenance Rooms.
C	117/45	Radar & W/T lighting.
C	206/45	Fire Control communications.
C	338/45	Fire Control communications.
C	339/45	Fire Control communications - "Sharks".
A	323/45	Office to plot voice pipe.
A	580/45	Radar workshop in a/c carriers.
A	2163/45	RDR & HFP. Celestoid sheet.
A	2605/45	Ventilation of 276/7/93 offices.

18. REPORTS.

C	595/41	Air attacks.
C	1801/41	On R.D.F. for navigation.
O	2509/41	Periodical reports.
C	922/41	Enemy W/T Transmissions.
C	2489/42	Action damage to Radar.
O	249/42	Periodical reports.
O	1116/43	Surface actions.
C	239/43	Failure of Radar for Gunnery.
C	1090/43	286 - PQ. - reports.
A	1547/43	Radio Mechanic branch.
C	546/44	Counter - measures - Radio controlled bombs.
C	698/44	Damage to subs.
C	1353/44	Enemy R.C.M.
C	1909/44	Ratings required & borne.
C	2148/44	Interference.
C	2429/44	2538 (Type N) Beacon.
C	2430/44	TJ Beacon for a/c.
A	2294/44	After action.
A	2817/44	Operator complement.
A	3107/44	After action
O	1960/44	Ship's fighting equipment.
A	6140/44	Radio Mechanic branch.
C	573/45	Surface actions.
O	634/45	Blind Radar training GS sets.
C	636/45	Position of 285 training tube.
C	830/45	Interference & jamming.
C	934/45	Damage sustained in action.
A	2321/45	Cessation of hostilities with Germany.
A	2868/45	Qualification of Ratings.
A	3040/45	277. Azimuth Stabilizer System.
C	1199/45	293M - aerial rotation speeds.

21. 279.

C	2065/40	N.U. & replacing N.U. 1.
C	1160/40	Maintenance by Radar ratings.
C	1960/41	Aerials - change p over switches.

C 2363/41 Aerials - stop rings, modification.
 C 2508/41 Tx. - output modification.
 C 1800/41 Interference to W/T.
 C 615/41 Communications - alterations.
 A 912/42 Rx's P11 & P12 - fuses.
 A 4646/42 Diode switch - new type of diode.
 A 5052/42 Diode switch - new type of diode.
 A 4766/42 Transformer & Rectifier Unit - modification.
 C 2016/42 C.R.T. Unit Design "B".
 C 1536/42 Bearing Transmission.
 C 2212/42 Gunnery range & bearing.
 C 1652/42 Time base valves.
 C 66/43 Tx. - fake echoes - faulty NT. 57T.
 C 178/43 Modification before fitting 243.
 C 1874/43 Synchronisation of sets.
 A 328/44 Intensifier Unit - removal.
 C 410/45 79/79B - M Type Tx.
 A 946/45 279/79B/281/281B/281 BP - flexible feeders 9582.
 C 1043/45 79/79B/279 - fitting.
 C 1246/45 79/79B/ 279 - fitting.
 A 3775/45 79 - information.

22. 281; 960.

C 2030/40 Branch breaker fuses.
 C 239/40 Aerial pedestals 19AX & 19B X.
 C 1636/41 14 KVA - new brushes.
 A 3410/42 20CX aerial maintenance.
 C 2466/42 Frequency.
 A 6177/42 Aerial - lampholders unit for ATE.
 A 2067/42 Branch Breaker fuses.
 C 116/42 Aerials - ATE - switch unit.
 A 4023/42 Tx - R/F feed back.
 A 5043/42 Tx - NGT 6 blower.
 A 4765/42 Tx - W/monitor syno plug.
 A 4894/42 Tx - Modulator mod'n.
 C 1355/42 Rx - Modulator syno . pulse.
 C 1704/42 Rx - A.A. calibration - scale.
 A 6178/42 Rx - bearing tube mod'n.
 C 2412/42 Rx - mod'n with 243.
 A 3540/42 Aerials - anti-freeze oil.
 A 3899/42 Aerials - feeders spacers to rotate.
 A 4893/42 Aerials - flexible feeders.
 A 5427/42 Aerials.
 A 1226/43 Aerials - 20 D control unit.
 A 1942/43 Aerials - 20BX, 20CX - mod'n.
 C 2291/43 Aerials - 20D with P.P.I., mod'n.
 C 123/43 Tx - grid chokes.
 A 1830/43 NGT6 fil. meter - mod'n.
 C 2045/43 Rx. P13 & P23 - mod'n.
 C 2385/43 Rx. P13 & P23 - mod'n.
 C 30/43 Rx - mod'n with 243.
 C 395/43 Spares.
 A 1095/43 Selsyn moters.
 C 1765/44 281B with 243 - I.F.F. Plan display.
 C 1822/44 281B - Selection of valves NT 86.
 C 2102/44 281B - "M" Tx to 20D.
 A 5669/44 281B - diode switch mod'n.
 A 6581/44 (281B - with 20D, 276/293 - YE Beacon.
 (& mod'n to Hand/Auto switch
 A 3851/44 Aerials - 20D Transport box.
 C 1822/44 281B Tx. valves NT 86.
 C 782/44 Tx pulse length - mod'n.
 C 662/44 Rx warning tube calibration.
 C 837/44 Rx M81.
 C 1049/44 Skiatron.
 C 1050/44 P.P.I. - changeover to 277.

A 706/44 Thyatron time delay switch.
 A 946/44 279/79B/281/281B/281 BP - flex feeder cable 9582.
 A 1465/44 281BQ.
 C 808/45 281- Summary of Modifications,
 C 1118/45 281B/BP/PQ - pulse repetition rate.
 A 3775/45 281- information.

23. 286 & 291.

C 2083/41 Aerials - flexible shafts.
 C 1805/41 Communications.
 C 2500/41 Communications.
 C 843/41 Interference from type 86.
 C 810/41 Interference with W/T reception.
 C 1693/41 286 Rx 3070A mod'n.
 C 1295/41 286 running time.
 A 5040/42 Dipole painting.
 C 30/42 Aerials ATQ.
 C 1682/42 Aerials ATQ.
 C 2295/42 Aerials ATQ, ATR - Artic heater units.
 A 3141/42 Aerials ATR - shortening plugs.
 C 1262/42 Aerials ATR - maintenance.
 C 1655/42 Aerials ATR in Arctic.
 A 2277/42 Aerials ATR - stiffness.
 A 3897/42 Aerials ATS - greasing of wires.
 A 6181/42 Aerials ATS - lightning switch.
 A 789/42 Diode switch.
 A 3268/42 Diode switch.
 C 4766/42 Diode switch - transf. & rect unit.
 A 3662/42 Diode switch - gas gaps.
 A 4646/42 Diode switch - new CV 8 diode.
 A 5042/42 Diode switch - new CV 8 diode.
 C 1504/42 Fitting.
 C 1546/42 Fitting.
 A 3142/42 Office door in destroyers.
 C 1223/42 Unsatisfactory performance.
 C 952/42 Interference.
 C 1157/42 Interference.
 C 1896/42 Interference.
 C 5044/42 Interference.
 C 1656/42 Housing masts on coastal craft.
 A 2060/42 286-Panel control mod'n's
 A 4150/42 286- Greasing motor alternators.
 A 2068/42 Alternators - rest periods.
 A 1282/42 Alternators - greasing.
 A 2656/42 Alternators - greasing.
 A 2655/42 Alternators maintenance of W.2518.
 C 1547/42 Receivers.
 C 719/42 Receivers - 3131.
 C 1138/42 Receivers - 3131.
 A 5429/42 Transmitter 7AA.
 A 2061/42 PQ - Voltmeter.
 A 2657/42 PQ - Barrel switches.
 A 2658/42 PQ - Resistances.
 C 1450/42 PQ - H.T. Transformer.
 C 1722/42 PQ - H.T. Transformer.
 C 1957/42 PQ - Stabilisation.
 C 1224/42 PQ - Variation of scan speed.
 A 6426/42 PQ - Pulse condensers.
 C 1898/42 Lengths of Tx cable.
 A 6425/42 Conversion of MU to PU.
 C 2413/42 291W Duplicate alternators.
 C 2234/42 291Y - Introduction.
 A 955/43 286/291V - indicators not allowed.
 A 1944/43 DUE/F/G/L/M - Diverter resistance.
 A 387/43 291Y to 291 conversion.
 C 228/43 Ventilation in submarines.

C	2461a/43	Ventilation in submarines.	
C	1649/43	Anti- D/F measures.	
C	965/43	Remote C.R.T. in light craft.	
A	1468/43	Amplifier M 58.	
A	5501/43	Amplifier M 58.	
A	386/43	G 87 - supply connections.	
A	3305/43	3AN - modifications.	
A	4094/43	3AN - modifications.	
A	4323/43	3AN - modifications.	
C	1870/43	3AN - resistance holder.	
C	1091/43	Rx P25 - modification.	
A	3303/43	Indicator - modification.	
A	3183/43	Indicator - scale lighting,	
A	3587/43	A F R. - care in handling.	
A	5371/43	aerials ATR - repairs.	
A	3842/43	ATS - fitting & maintenance.	
A	4457/43	ATS - modifications & sealing.	
A	2762/43	ATT.	
A	4324/43	ATT.	
A	5756/43	ATT.	
C	1484/43	Spurious echoes.	
A	385/43	PQ & 291 - ventilation.	
A	616/43	DUN, DUP voltage control.	
A	1227/43	Rx 3131 - modification.	
A	2759/43	Rx 3131 - modification.	
C	180/43	Indicator - modification with 242.	C 2290/43
C	886/43	Tx 7AA.	Indicator - modification
A	839/43	PQ - stabilisation.	with 242.
C	1090/43	PQ - reports.	
A	384/43	PQ - CV 14.	
A	966/43	PQ - CV 14.	
C	227/43	PQ - variac.	
A	1092/43	ATP.	
A	5245/43	ATP.	
A	2176/43	286N - destruction of notes.	
A	2760/43	Conversion of 286M to 286P or 291.	
A	4456/43	Return of stocks.	
A	5247/43	P/PU - calibrator & 242.	
A	5502/43	Power supply - Coastal Craft.	
C	1541/44	243 with 291 - picture improvement.	
C	1717/44	Outfit R. I. S. (5).	
C	1988/44	RTA & Associated indicators - modifications.	
C	2532/44	Increase of range scales.	
C	2533/44	291N - ventilation in submarines.	
C	2664/44	Rotation of Ae's & P.P.I. display.	
A	5449/44	ATR.	
A	5451/44	286P & 291 - bearing transmission	
A	5570/44	291/u/w - CV 510 & CV 511 in lieu of CV 509.	
A	5670/44	Rx P25 - modification.	
A	6062/44	Rx P25 - modification.	
A	6717/44	Rx P25 - modification.	
C	310/44	291 allocation.	
C	31/44	Fitting in minesweepers.	
A	3852/44	Protection of voltmeter.	
A	3719/44	3AN - R3 replacement.	
A	1229/44	3AN - modification.	
C	732/44	Rx P25 - CV 53.	
A	1555/44	Rx P25 - covers.	
C	1380/44	Rx P25 - aerial lead.	
C	1540/44	291 & 242 firing.	
C	1343/44	ATS - lightning conductor removal.	
C	3166/44	ATS - training unit.	
A	592/44	ATS.	
C	1123/44	ATS.	
C	310/44	Fitting.	
C	1051/44	Fitting.	
C	31/44	Fitting.	

A 2751/45 Modification to indicator.
 C 785/45 Modification to JAN.
 A 3207/45 Fitting interference suppression.
 A 3521/45 291W Test set SE 2.
 C 881/45 291M - JAN modifications.

24. 271/2/3.

C 2124/41 Stiffening of Lanterns.
 C 2227/41 Sperry Gyro.
 C 2006/41 Communications.
 C 2179/41 Breakdowns.
 C 3264/41 Breakdowns.
 C 1591/41 Rx P50.
 C 1085/42 Interference by D/F.
 C 2575/42 Fitting S.S.1.
 A 4289/42 DUK.
 C 1088/42 Interference by D/F.
 C 546/42 Binoculars.
 A 55/42 Lanterns.
 A 4164/42 Lanterns.
 A 1789/42 Spare windows.
 A 1785/42 Sealing cement.
 C 538/42 Prefabricated huts & Lanterns.
 C 1003/42 Prefabricated huts & Lanterns.
 C 1600/42 Canvas covers.
 A 4648/42 Aerial enclosures.
 A 1784/42 Platforms.
 A 2278/42 Bearing indicators.
 A 2904/42 Bearing indicators.
 A 5920/42 Sperry Gyro.
 C 652/42 Sperry Gyro.
 C 2575/42 S.S.1.
 C 817/42 Inadequate electrical arrangements.
 C 27/42 Care & Maintenance.
 A 66/42 Testing sets.
 C 289/42 G 82.
 A 2524/42 Ventilation of Mk II panels.
 A 4021/42 Modifications.
 C 653/42 Modifications.
 A 6423/42 Ae. matching with NF 98.
 A 5549/42 P - heaters.
 C 1097/42 L17/18 - fitting.
 A 5755/43 273 stabiliser.
 C 1063/43 Destruction of F.O.O's notes.
 C 1589/43 Lanterns.
 A 4455/43 Lanterns.
 C 534/43 Platforms.
 C 1003/43 Office increase.
 C 1487/43 S.S.1.
 C 1552/43 S.S.1.
 C 2459/43 S.S.1.
 C 2778/43 S.S.1.
 A 2758/43 P - NU4 Anode connection.
 C 2044/43 Q - replacement of 271/X/P.
 C 1867/43 Q - effect of rigging.
 C 1089/43 Q - crystals & C.P.U.
 C 2669/43 Q - C.P.U. heater.
 C 1377/43 Q - meters W 4409.
 C 2107/43 Q - L.O. modification.
 C 1209/43 Q - L 20 calibration.
 C 1707/43 L17/18 - operating logs.
 C 1755/43 L17/18 - with 284.
 A 383/43 272 modification.
 C 2833/43 272 communications.
 C 1929/44 271/3Q - modification to Indicator Units.
 C 1988/44 271Q, 272P/PR, 273QR - modifications to RTA.

C 2306/44 271Q, 272P/FR, 273QR - modifications to RTA, B&E.
 A 5450/44 271/2/3/X/P Modulator.
 A 5782/44 271/P/Q, 272/P, 273/P/Q - Modification to G 82A.
 A 6299/44 Replacement of 272 by 277.
 A 6439/44 271/3Q removal of cotton covering.
 A 6580/44 271/3Q - Modifications.
 A 3850/44 273 - 242 & P.P.I.
 A 4770/44 273 - 242.
 C 77/44 Security in Merchant ships.
 C 311/44 S.S.1.
 A 3313/44 M 59 - H.T. bleeder.
 C 29/44 M 59 - redesign.
 A 2764/44 M 59 - redesign.
 A 2362/44 M 59 - aerial leads.
 C 1047/44 M 59 - Transformer W 3977B.
 C 985/44 272 - 2nd detector jack.
 C 781/44 272 - modification to aerial leads.
 A 4137/44 272 - Lantern.
 C 595/45 271/P/Q, 273/P/Q. - 242 & P.P.I. - A's & A's.
 A 165/45 271/3Q - Anti - wave clutter unit.
 A 1464/45 271/2/3/P - Modifications to L.O.
 A 3203/45 271/2/3 - Magnet keepers.
 A 3204/45 271Q/3Q Rx rectifier unit.
 A 3529/45 271Q/273Q spare condensers.
 A 3775/45 271 - Information.

25. 276/7/293.

C 2397/43 277 - Fitting.
 C 1590/43 Fitting.
 C 1650/43 Fitting.
 C 2724/43 Fitting.
 A 5882/43 ~~RTA~~ 52.
 C 1539/44 Hand control switch with Type 242.
 C 1766/44 Oiling of Pedestal 19U.
 C 1929/44 Modification to Indicator Units H & N.
 C 1988/44 Modifications to Ranging Outfit RTA.
 C 2306/44 Modifications to Ranging Outfit Rx, Ax, B & E.
 C 2050/44 Removal of perspex from Ae reflector.
 C 2101/44 Fitting in "Hunt" destroyers.
 C 2585/44 Conversion of Anti W.C. outfit.
 C 2629/44 Aerial stabilisation.
 C 2662/44 Fitting of removable waveguide sections.
 A 5782/44 Modification to G 82A W'mr.
 A 5783/44 Failure of air heater.
 A 6299/44 Replacement of 272 by 277.
 A 6580/44 Modifications to Rectifier in Rx.
 A 6581/44 Modification to Hand - Auto switch.
 A 6853/44 Fitting of Manometer & Hydrometer.
 C 2366/44 Fitting policy.
 C 928/44 Fitting policy.
 C 1930/44 RTA/B/G/D/E.
 C 202/44 Waveguide stores.
 C 933/44 Waveguide stores.
 C 1557/44 Return of AUK packing case.
 C 1285/44 Waveguide dryer.
 C 1326/44 Follow-up switch.
 A 3164/44 Follow-up switch.
 C 1431/44 AUJ/R - Spiders.
 A 4934/44 Soundproof cabinet.
 A 3556/44 Rx P51 mounting.
 C 836/44 Modification to Rx power pack.
 C 1325/44 Air conditioning unit.
 A 4345/44 Air conditioning unit.
 C 1122/44 Gas Switch.
 A 2765/44 Tx . Transformer.
 A 4772/44 P51 - mounting.

C 168/45 Value of H.T. voltage.
 A 583/45 Replacement of Follow-up-switch.
 A 2026/45 Mica waveguide seal.
 A 2027/45 Air conditioning unit.
 A 2028/45 Oil system - AUK.
 A 2164/45 Alternative power supply.
 A 2165/45 AUK spares.
 A 2604/45 Pulse lead.
 A 2605/45 Office ventilation.
 A 2752/45 276/293 follow-up-switch.
 A 2753/45 Marking of switches.
 C 648/45 Wattmeter calibration.
 C 693/45 293 conversion to 293M.
 A 2319/45 276/7, 293 air conditioning unit.
 A 2320/45 Marking of switches.
 A 3040/45 277 - Azimuth Stabilizer System.
 A 3042/45 277 - fitting.
 A 3203/45 276/7/293 - magnet keepers.
 A 3204/45 277/T/S/F, 293/M - Rx rectifier unit.
 A 3206/45 277 - Aerial AUK.
 A 3529/45 276/7/293 spare condensers.
 C 1044/45 276/293M - 20H - failure of FPI.
 C 1184/45 Use of 277.
 C 1198/45 Use of 277.
 C 1199/45 293M - aerial rotation speeds.
 A 3653/45 276/7/293 - duplicate alternators.
 A 3773/45 276/7/293M - Fitting of Aerial matching unit.
 A 3774/45 276/7/293M - Supply of 56807 & 57156.
 A 3775/45 276/7/293 & variants - information.

26. 980/1.

A 3203/45 980/1 Magnet keepers.

27. 970/1/2.

C 262/44 Minimum range modification.
 A 2319/45 972 Air conditioning units.
 A 3208/45 970 conversion to 971.
 C 1201/45 952 - portable marker beacon.

A 2897/44 Transformers W 4267 & W 8827.
 C 1599/44 Spotting tube.
 C 371/44 Responsibility.
 C 663/44 Switch rotary capacity Des. E.
 C 664/44 Switch rotary capacity Des. E.
 C 784/44 Beam switch.
 C 30/44 Line error with beam switching.
 C 247/44 Bofors mounting - lifting.
 C 598/44 Bofors mounting - beam switch cover.
 A 3422/44 Extracting tool for spark gap.
 C 1823/44 3 AH firing G.O.S.
 C 889/44 3 AH phase control with D.V.E.
 A 4138/44 3 AH Transformers.
 A 1228/44 M 56 rectifiers.
 C 1287/44 P 16 replacement by P 24.
 C 1286/44 M 68 to replace M 53.
 A 4771/44 M 53 & M 68 - fuses to be 1 amp.
 C 783/44 284 in TS or D.C.T.
 C 1581/44 284 in TS or D.C.T.
 C 1806/44 284 in TS or D.C.T.
 C 1692/44 T.S. in destroyers.
 C 665/44 285 with A.F.C.T.
 A 2896/44 Various modifications.
 A 2632/44 DVB/C/D/E.
 A 1971/44 DVD/E - auto changeover switches.
 A 1117/44 L 12 - bleeder chain.
 A 3557/44 L 12 - resistances replaced.
 C 78/44 Monitor transformers.
 C 929/44 Remote gain control.
 A 3165/44 L 24 - CRT drawer.
 C 1767/44 L 24 - general.
 C 1712/44 283 - strengthening.
 A 1553/44 Lead wool glands.
 C 1754/44 L12/17/18/24 fitting.
 C 1823/44 3 AH changeover switch.
 C 1876/44 L 28 alternative display.
 C 2211/44 ASP. A's & A's.
 C 2307/44 283M for Barrage Director.
 C 2703/44 RTU A's & A's.
 A 5070/44 DVD/E board 2 AD.
 A 5667/44 DVG - information.
 C 122/44 P (3), P (4).
 A 6183/44 DVE modification.
 A 6298/44 DTD - information.
 C 41/45 284 H 'bk - 1944 distribution
 C 400/45 Training tube for blind fire
 A 313/45 3 AH filament control knob.
 A 584/45 M 56 drive tuning control.
 A 1319/45 DPA motor alternator.
 A 431/45 L 12 - time base circuits.
 C 634/45 284M/P4 Blind training reports.
 C 636/45 285 Position of training tube report.
 C 694/45 284 - 274 Panel inter - switching.
 C 831/45 M 68 - modification.
 C 928/45 Modifications for A/J.
 C 1007/45 284/5 Drill & Procedure.
 C 1119/45 284/5P (3) P (4) & 285Q - L24 fitting.

32. 274/5.

C 2561/44 274 H'bk issue.
 C 2803/44 Modifications.
 A 5919/44 Information.
 A 6300/44 Trigger Unit Des B modification.
 C 298/44 Fitting.
 C 550/44 Fitting.

C 1105/44 Spotting box.
 A 2025/45 Spark gap tool.
 C 634/45 274 Blind training reports.
 C 694/45 284-274 Panel inter-switching.
 C 742/45 274 Modification.
 A 2319/45 274 Air conditioning unit.
 A 3203/45 274/5 - magnet keepers.
 A 3205/45 275 lining up.
 A 3529/45 274/5 spare condensers.
 C 1286/45 274 - modification.
 C 1287/45 275 - introduction.
 A 3914/45 275 - modification.

33. 262.

A 3203/45 262 - magnet keepers.

36. INTERROGATORS; TRANSPONDERS; BLIND APPROACH BEACONS.

C 1361/42 Inertia switch.
 C 2412/42 243/M/P - modification to 281.
 C 845/43 241/3/M - mixer units "A" & "C".
 C 1208/43 243/M/P.
 C 1088/43 243/M/P modification to A.S.U.
 C 1866/43 243/M/P modification to Mixer unit design B.
 C 1930/43 243/M/P modification to Mixer unit design B.
 C 2496/43 243/M/P with 281/B & P.P.I.
 C 2336/43 242/3 - modification to W 3909 socket.
 C 2111/43 242/M - modification to ASM switch unit.
 C 1006/43 Detonators.
 A 6060/44 Introduction to Radar performance meter.
 A 6438/44 253P power supplies.
 A 6718/44 Modification to Rx P57 on 291.
 C 1540/44 242 with 291 - improvement of pictures.
 C 1594/44 257 - siting of aerials.
 C 1765/44 243 with 281B - modification to plan display.
 C 1824/44 253 - Introduction.
 C 2305/44 253P - suppression.
 C 2310/44 941 & 243Q-Introduction.
 C 2534/44 Interrogator display for R.T.I.
 C 2725/44 Interrogator for SG radar - 244.
 C 2757/44 251MS - introduction.
 A 6438/44 253P - power supplies.
 C 2665/44 253/P - code teacher.
 C 1379/44 253 conversion.
 A 3312/44 253 resistance replacement.
 C 201/44 253/M - earthing power supply rectifier.
 C 456/44 Return of gear - no detonators.
 C 1373/44 Detonators.
 C 562/44 253/MW - aerial AST.
 A 2899/44 257/S - voltage drop in power leads.
 C 1487/44 257/S - reports on use.
 A 4626/44 243/M/P overheating.
 A 4770/44 242/M with 273 - power supply.
 C 1539/44 242/M, with 276/7.
 C 440/44 242/M with 276/7.
 A 1693/44 242/M 19W fibre couplings.
 A 2361/44 242/M ASB/R/S fibre couplings.
 A 4394/44 242/M ASB circuit breaker.
 C 984/44 242/M with 275.
 A 2500/44 242/M AQP for ASB with 271²/3.
 A 3850/44 242/M with 273.
 A 6716/44 257 - 74A power supply.
 C 1063/44 British modifications.
 A 2903/44 Aerials.

C 1999/44 Bogus distress signals.
 A 581/45 253/M/W/P Rx R 3090 - defects.
 A 1194/45 243M, 243Q & 244 - performance meter.
 A 5183/45 242M - operation.
 C 26/45 253P - revision.
 C 118/45 251M/MS - modification.
 C 223/45 242M - modification with JH 1 & 2.
 C 276/45 Disposal of I.F.F. Mks II, IIN & IIG.
 C 448/45 243M/Q - water detection.
 C 490/45 251M/MS - modifications.
 C 167/45 253P/MW - prevention of accidents.
 A 1795/45 Radio aids poster 257.
 A 2750/45 Aerial outfits ASD & ASH.
 C 647/45 Beacon YJ - introduction.
 C 925/45 Interrogator aeriels.
 C 927/45 257 conversion to 257 M.
 C 962/45 "Walter" transmissions on 243.
 C 963/45 253MW - aerial.
 A 2919/45 953 - fitting.
 A 3202/45 253/MW/P - Rx's R 3090, P43A & P45.
 A 3203/45 91 - magnet keepers.
 A 3368/45 253P power supplies.
 A 3529/45 242 spare condensers.
 C 1200/45 941 - mixer unit.
 C 1283/45 BK to 253P.
 C 1284/45 253 ABK & QH - removal of detonators.
 C 1285/45 242 - Time lag.
 A 3915/45 941 - performance meter.
 C 882/45 257MS - introduction.

38. SKIATRONS ; P.P.I.

C 1931/43 P.P.I. displays.
 C 2481/44 Modification to Lamp Box.
 C 2586/44 Operation.
 A 5668/45 Modification to Cal & Monitor Unit.
 A 5784/44 Alternative PPI dial.
 A 5918/44 PPI ventilation.
 A 6850/44 Redesign of PPI & HPI.
 C 1049/44 Fitting with 281B or 277.
 C 930/44 Weathertight PPI.
 C 1050/44 PPI changeover between 277 & 281.
 C 1154/44 PPI for bombardment.
 A 3036/44 Screen replacement.
 C 25/45 Modification to prevent damage by Sync . failure.
 C 220/45 L.O.P. & P.P.I. - heaters for viewing device.
 C 355/45 Introduction to heaters for viewing L.O.P. & P.P.I.
 C 595/45 Overloading of 271P/Q & 273P/Q when 2 PPI's & 242 fitted
 A 1463/45 Outfit JK.

A	1734	FPI & Aziloator - ventilation.
A	2464/45	FPI ranges.
C	926/45	Auto - aligning.
C	668/45	FPI displays - modifications.
C	1664/45	FPI displays - modifications.
C	1165/45	FPI calibrator.
C	1247/45	U.S. FPI - fitting of P2 tube.

39. RTA/C/D ; RTU's.

C	261/45	RTU Mk. VII modification.
C	408/45	Allowance.
C	409/45	Amendments.
C	399/45	RTU Mk VII modifications.
A	1740/45	RTD fitted with 268.
C	736/45	RTB fitted with T.L.U.
A	3367/45	R.T.E. & J.J.I. modification.

40. U.S. SETS.

C	2725/43	SL - bearing accuracy.
C	838/44	SG - voltage fluctuation.
A	6852/44	SK & SC2 - painting of aerial array.
C	2725/44	SG - Interrogator 244 (SG).
A	429/45	SO - fitting.
A	430/45	SK - fitting.
C	267/45	SC/SK - modifications to FPI.
C	357/45	SK - brake in antenna pedestal.
C	358/45	Faulty rectifier (2 X 2) in various sets.
C	594/45	SQ - introduction.
A	1738/45	SC/SK Modifications.
A	3038/45	BN - fitting.
A	3524/45	"S" Band waveguide.

41. QH; LORAN; QM or Decca; CONSOL.

C	616/45	QH Charts, publications.
C	697/45	QH Further allocations.